

# 8

## RECOMMENDED SPARE PARTS

When ordering please indicate part number.

KEY	QTY	PART #	DESCRIPTION
38	1	425683	Tension wheel
46	1	425684	Tooth plate
95	1	425696	Cutter knife

KEY	QTY	PART #	DESCRIPTION
-----	-----	--------	-------------

### 8.1 PARTS LIST BXT

1	1	425698	Base plate complete, incl. pos. 3-5
2			
3	2	425758	Slide bearing, Ø10/12 x 15
4	2	425759	Slide bearing, Ø12/14 x 8
5	1	425833	Cylinder pin, Ø10 h6 x 55
6			
7	1	425731	Tooth plate below
8	1	425715	Set screw
9			
10	1	425686	Bevel wheel with pinion
11			
12	1	425755	Ball bearing, Ø10/22 x 6
13	1	425739	Spacer ring
14	1	425742	Blocking wheel complete, incl. pos. 16
15			
16	1	425834	Free-wheel needle bearing, Ø10/14x22
17	1	425753	Ball bearing, Ø10/22 x 6
18	1	425835	Retaining ring, Ø10
19	1	426482	Spacer disk, Ø10/22 x 0.5
20	2	425836	Spacer disk, Ø36/48 x 0.5
21	1	425837	Internal gear ring
22	3	425838	Planetary wheel 1. Step
23	1	425737	Planetary support complete
24			
25			
26			
27	1	425756	Needle bushing, Ø10/14 x 15
28	1	425839	Spacer disk, Ø12/24 x 0.5
29			
30	1	425741	Flange complete, incl. pos. 33
31			
32			
33	1	425840	Cylinder pin, Ø4 m6 x 20
34	5	426807	Cylinder screw, M4x12
35	1	425743	Cam disk
36	2	426808	Ball bearing, Ø35/47 x 7
37	3	425685	Planetary wheel 2. Step
<b>38</b>	<b>1</b>	<b>425683</b>	<b>Tension wheel</b>
39			

40	1	425734	Rocker
41			
42			
43	1	425733	Strap stop, front, 13 mm
44			
45	6	425842	Counter sunk screw, M3 x 8
<b>46</b>	<b>1</b>	<b>425684</b>	<b>Tooth plate</b>
47	2	426809	Counter sunk screw, M4 x 6
48	1	425690	Motor compl., incl. pos. 49
49	1	426810	Brushcover-set
50			
51			
52			
53	1	425740	Carrier
54	3	425751	Ball bearing, Ø15/24 x 5
55	1	425738	Toothed belt wheel complete, incl. pos. 54, 57
56			
57	1	425844	Bushing, Ø6/10 x 12
58	1	425687	Bevel wheel complete, incl. pos. 54, 60
59			
60	1	425845	Bushing, Ø6/10 x 15
61			
62			
63	1	426201	Bushing complete, incl. pos. 77
64			
77	1	425846	Ridget pin, Ø 3x8 DIN 1469
65	1	426202	Needle bushing, Ø12/18 x 12
66	1	425754	Ball bearing, Ø12/24 x 6
67	1	425847	Retaining ring, J Ø24
68	1	426203	Eccentric shaft
69	1	425721	Eccentric shaft
70	1	425719	Disk
71			
72	2	426811	Cylinder screw, M5 x 12
73	1	425688	Toothed belt
74	3	426812	Cylinder screw, M5 x 20
75	1	425722	Swivel bearing complete, incl. pos. 77
76			
77	1	425950	Ridget pin, Ø3x8 DIN 1469

**Bold = Recommended spare parts**

<u>KEY</u>	<u>QTY</u>	<u>PART #</u>	<u>DESCRIPTION</u>
78	1	425677	Tension spring
79	1	425951	Retaining ring, A Ø23
80	1	425952	Retaining ring, A Ø12
81	1	426204	Connecting rod
82	1	425717	Shaft
83	1	426813	Ball bearing, Ø9/26 x 8
84	1	425679	Washer
85	2	426814	Cylinder screw, M4x10
86	2	426206	Counter sunk screw, M3 x 8
87	1	425710	Welding shoe
88	1	426815	Oval head screw, M3 x 5
89	1	425718	Safety plate
90	2	425714	Ball bushing
91	1	425711	Cover plate
92			
93	1	425712	Tooth plate top
94	1	425672	Compression spring
<b>95</b>	<b>1</b>	<b>425696</b>	<b>Cutter knife</b>
96	1	425713	Flanged bushing
97			
98			
99			
100	1	425705	Cover tensioning
101			
102	1	425749	Strap guide, 13 mm
103	1	426816	Counter sunk screw, M4 x 16
104	3	426198	Counter sunk screw, M4 x 12
105			
106			
107			
108			
109	1	425735	Rocker lever complete, incl.pos.111-113
110			
111	1	425958	Threaded bolt, M8
112	1	425959	Ridget pin,Ø4 x 30
113	1	425960	Cylinder pin, Ø4 x 30
114	1	425732	Blocking paw
115	1	425681	Bolt
116	1	425736	Toothed segment
117	2	425961	Spacer disk, Ø10/16 x 0.5
118	1	425962	Retaining ring, Ø8
119	1	426817	Cylinder screw, M4x25
120	1	425682	Tension spring bolt
121	1	425678	Tension spring
122			
123	1	425964	Globule hardened, Ø8
124	1	425671	Compression spring
125	1	426818	Threaded bolt, M10
126	1	425676	Compression spring
127	1	426819	Welding bouton-set,incl. 156
128	1	425730	Bolt
129			

<u>KEY</u>	<u>QTY</u>	<u>PART #</u>	<u>DESCRIPTION</u>
130	1	425729	Cam
131	1	426820	Set screw, M5 x 8
132	1	425692	Micro switch, welding
133	2	426821	Oval head screw, M2 x 10
134	1	426822	Shim plate
135	1	425725	Spring bow
136	1	425726	Roller
137	1	425727	Shaft
138	1	425728	Pressure bolt
139	1	425674	Spring
140	1	425969	Lock nut, M6
141	2	425970	Retaining ring, Ø4
142	1	425680	Shaft
143			
144			
145			
146	1	425704	Cover welding
147	1	425744	Strap guide, 13/16 mm
148	1	425747	Strap stop 13/16 mm
149	1	425745	Hook
150	1	425746	Threaded bolt
151	1	425748	Threaded bolt
152	1	425675	Compression spring
153	1	426829	Oval head screw, M4 x 25
154	1	425972	Oval head screw, M3 x 12
155	1	425699	Gear cover
156	6	426823	Oval head screw, M4 x 10
157			
158	1	425974	Housing part right, black
159			
160	1	425975	Housing part left, black
161			
162	10	425976	PT-Screw, KA 35x20
163			
164	1	425703	Protection cover
165			
166	1	425689	Switch button, red
167	1	425673	Compression spring
168	1	425691	Micro switch, tensioning
169			
170	1	425977	Motor cover complete, black
171	1	425694	Contact plate complete
172	1	425693	Printed circuit board digital
173	2	425978	PT-Screw, KA 30x10
174			
175	2		Washer, M 3
176	1	425769	Battery 12V 2,4 Ah
177	1	425768	Charger AL60DV,1419,EU
177	1	425767	Charger AL60DV,1419, USA
177	1	425766	ChargerAL 60DV,1419, Japan
180	1	425979	Indication plate
181	1	425980	Indication plate
182	1		Indication plate
183	1	425981	Name plate

**Bold = Recommended spare parts**

<u>KEY</u>	<u>QTY</u>	<u>PART #</u>	<u>DESCRIPTION</u>
184	1	425992	Name plate
	1	425982	<b>Tool-set</b>
190	1	425983	Screwdriver (Phillips)
191	1	425697	Wire brush
		425765	<b>Option: protection plate-set</b>
193	1	425984	Protection plate
194	4	426824	Counter sunk screw, M 5 x 8
		425764	<b>Option: suspension bow-set</b>
196	1	425986	Suspension bow
197	1	426825	Oval head screw, M5 x 10
198	1	426826	Oval head screw, M4 x 20
200		426827	<b>Option: protection cover-set</b>
		425989	<b>Spare part-set: strap guide 13 mm</b>
43	1	425733	Strap stop, front, 13 mm
102	1	425749	Strap guide, 13 mm
47	2	425990	Counter sunk screw
			<b>Spare part-set: housing parts</b>
	1	425991	Housing parts, black, incl. pos. 158/160

When ordering please indicate part number.

# WARNING

Inspect all parts daily and replace them if they are worn or broken. Failure to do this can affect a product's operation and could result in serious personal injury.

